

Maharashtra University of Health Sciences, Nashik

## Physiotherapy Faculty


Inspection Committee Report for Academic Year 2026 - 2027

## Clinical Material in Hospital

Name of College/Institute... SAI CARE COLLEGE OF PHYSIOTHERAPY NASHIK

Name of the Parent /attached Hospital: - SAI CARE HOSPITAL &amp; RESEARCH CENTRE NASHIK

Sr. No.	Particulars to be verified	Actual Available	Lacuna																																																																																											
a.	There must be a parent / attached Hospital with minimum 300. beds as per the Intake Capacity Indoor & Outdoor Facility with Physiotherapy exposure in the broad specialty areas including Intensive care to provide practical experience to the student.: (Refer Sr. No. C for Beds as per Intake Capacity)	PARENT & AFFILIATED HOSPITALS AVAILABLE	-																																																																																											
b.	The student to patient ratio should be minimum 1:5, the first part being student & second part patient.	ADEQUATE	-																																																																																											
c.	The desirable breakup of beds shall be as follows: <b>Student Patient Ratio (as per M.S.R., it must be 1:5) :</b>	400 BEDS AVAILABLE	-																																																																																											
	<table border="1"> <thead> <tr> <th>Sr.No.</th> <th>Specialty</th> <th>10 to 30 Intake</th> <th>31 to 40 Intake</th> <th>41 to 50 Intake</th> <th>51 to 60 Intake</th> <th>For 61 to 100 Intake</th> </tr> </thead> <tbody> <tr> <td>01</td> <td>General Medicine</td> <td>30</td> <td>40</td> <td>50</td> <td>60</td> <td>100</td> </tr> <tr> <td>02</td> <td>General Surgery</td> <td>30</td> <td>40</td> <td>50</td> <td>60</td> <td>100</td> </tr> <tr> <td>03</td> <td>Orthopedics</td> <td>30</td> <td>50</td> <td>50</td> <td>60</td> <td>100</td> </tr> <tr> <td>04</td> <td>Obst &amp; Gynae</td> <td>15</td> <td>20</td> <td>30</td> <td>30</td> <td>60</td> </tr> <tr> <td>05</td> <td>Pediatrics</td> <td>15</td> <td>20</td> <td>30</td> <td>30</td> <td>60</td> </tr> <tr> <td>06</td> <td>Medical ICU</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> <td>15</td> </tr> <tr> <td>07</td> <td>Surgical ICU</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> <td>15</td> </tr> <tr> <td>08</td> <td>PICU + NICU</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>15</td> </tr> <tr> <td>09</td> <td>ICCU + RICU</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>15</td> </tr> <tr> <td>10</td> <td>Burns Unit / ICU</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> </tr> <tr> <td>11</td> <td>Emergency</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> </tr> <tr> <td colspan="2">Total</td> <td>150</td> <td>200</td> <td>250</td> <td>300</td> <td>500</td> </tr> </tbody> </table>	Sr.No.	Specialty	10 to 30 Intake	31 to 40 Intake	41 to 50 Intake	51 to 60 Intake	For 61 to 100 Intake	01	General Medicine	30	40	50	60	100	02	General Surgery	30	40	50	60	100	03	Orthopedics	30	50	50	60	100	04	Obst & Gynae	15	20	30	30	60	05	Pediatrics	15	20	30	30	60	06	Medical ICU	05	05	10	10	15	07	Surgical ICU	05	05	10	10	15	08	PICU + NICU	05	05	05	10	15	09	ICCU + RICU	05	05	05	10	15	10	Burns Unit / ICU	05	05	05	10	10	11	Emergency	05	05	05	10	10	Total		150	200	250	300	500		
Sr.No.	Specialty	10 to 30 Intake	31 to 40 Intake	41 to 50 Intake	51 to 60 Intake	For 61 to 100 Intake																																																																																								
01	General Medicine	30	40	50	60	100																																																																																								
02	General Surgery	30	40	50	60	100																																																																																								
03	Orthopedics	30	50	50	60	100																																																																																								
04	Obst & Gynae	15	20	30	30	60																																																																																								
05	Pediatrics	15	20	30	30	60																																																																																								
06	Medical ICU	05	05	10	10	15																																																																																								
07	Surgical ICU	05	05	10	10	15																																																																																								
08	PICU + NICU	05	05	05	10	15																																																																																								
09	ICCU + RICU	05	05	05	10	15																																																																																								
10	Burns Unit / ICU	05	05	05	10	10																																																																																								
11	Emergency	05	05	05	10	10																																																																																								
Total		150	200	250	300	500																																																																																								
d.	Student: Bed Ratio (Undergraduate): 1:5 1:3	AVAILABLE	-																																																																																											
e.	Average Bed Occupancy in %: 80	ADEQUATE	-																																																																																											
f.	Whether separate Registration room is available at OPD? f. Number of total patients registered in last Year :5212 g. Number of New Patients registered on daily average: 19 h. Number of Old patients registered on daily average: 09 i. Average Number of patients attending OPD (current year) :32/DAY j. Whether records of patient registration are well maintained: YES	AVAILABLE ADEQUATE	-																																																																																											
g.	Indoor Physiotherapy Department Areas as per Clinical Load and Intake: (as per M.S.R.) Clinical Load, Total Strength of Hospital Beds, Outdoor Physiotherapy Load per specialty, Indoor Physiotherapy Load per Specialty, Student: Patient ratio per specialty.	AVAILABLE ADEQUATE	-																																																																																											
h.	Outdoor Physiotherapy Department Areas as per Clinical Load and Intake: (as per M.S.R.)	AVAILABLE ADEQUATE	-																																																																																											
i.	Physiotherapy OPD Services (as per M.S.R.): The hospital shall have functional physiotherapy department providing services on outpatient & in patient department at least in the last 12 Months prior application & shall maintain required OPD and IPD records for verification.	AVAILABLE ADEQUATE	-																																																																																											
	<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at college.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any documents.</li> <li>In case of "Inadequate", it must be mark as "Inadequate" with evidence.</li> <li>If attached Hospitals provide valid MOU</li> </ul>																																																																																													

  
 Sai Care College of Physiotherapy  
 Dean/ Principal Stamp & Signature

Verified by The LIC Committee Members

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100



सत्यमेव जयते

ONE HUNDRED RUPEES

भारत INDIA  
INDIA NON JUDICIAL

NOTARY  
MAHARASHTRA  
NOTED & REGISTERED  
at Serial No. 235/2026  
DATE: 28/12/2026  
This Document Contains  
Total 02 Pages

© 2025 ©

76AB 426407

District Treasury Office  
Nashik  
23 FEB 2026  
STAMP H.C A.T.O



ASHOKA HOSPITAL,  
SHREE SANT SAVTA MALI MARG, PARAB NAGAR,  
NASHIK

AND  
PART NO.2

SHIVANJALI SHAIKSHANIK VA SAMAJIK SANTHA'S  
SAI CARE COLLEGE OF PHYSIOTHERAPY,  
NASHIK

Party No.1 Is a Registered 375 bedded Hospital, having facility of for O.P.D, I.P.D. is Located at Shree Sant Savta Nagar , Nashik, Maharashtra with Facilities like Trauma Care Unit, Intensive Care Units, Major and Minor Operation Theatre, Ortho Wards, Neuro Wards, Obstetrics and Gynecology Ward, Pediatrics, general ward and Private Room.

Party No.2 Is Shivanjali Shaik Shanik Va Samajik Sanstha Sai Care College of Physiotherapy Nashik, Survey no 134 Village Manori Taluka Dindori Nashik - 422004  
Run by Charitable Trust - Shivanjali Shaik Shanik Va Samajik Sanstha, Nashik  
Reg. No. F-10901/Nashik  
Head Office: 2nd Floor, Wal Zade Arcade, Om Nagar, New Adgaon Naka, Panchavati, Nashik, Maharashtra



ANIL V. JADHAV  
Advocate & Notary Govt of India



05/02/26

To,  
The Principal,  
Shivanjali Shaikshanik Va Samajik Sanstha's,  
Sai Care College of Physiotherapy Nashik.

**Subject: - Regarding availing of Hospital for clinical field experience  
of Physiotherapy student.**

Respected sir/ madam,

With reference to the above-mentioned subject, **Ashoka Medicover Hospital, Nashik** is an advanced multi-specialty healthcare center providing comprehensive medical services in Medicine, Surgery, and Orthopedics. The hospital is equipped with a well-established ICCU, fully functional Major and Minor Operation Theatres, Labour Room, Pathology Department, Radiology Department, and Sonography facilities. We also offer Deluxe Rooms, Semi-Private Rooms, and General Wards as per modern hospital standards.

Our hospital routinely conducts General Surgeries, Laparoscopic Surgeries, Orthopedic Surgeries, Hysteroscopy, Sonography, and Family Planning-procedures. We have an adequate number of well-trained staff in each department and qualified doctors available on a daily basis. The hospital has approximately 200 to 225 IPD beds.

We hereby give our willing consent to provide our hospital facilities for training and clinical field experience to the Physiotherapy students of Shivanjali Shaikshanik Va Samajik Sanstha's Sai Care College of Physiotherapy, Nashik.

Yours Sincerely,



Hrushikesh Nikam,  
Assistant HR Manager,  
Ashoka Medicover Hospital, Nashik.





सार्वजनिक आरोग्य विभाग  
नाशिक महानगरपालिका नाशिक

फॉर्म 'सी' (FORM-C) Regn. No. 9068

वि. सं. नसिम होम रजिस्ट्रेशन अंक 19-19 य अधिवचना 2006, 2013, 2021

Hospital Name: Ashoka Medicover Hospital

श्री/श्रीमती. डॉ. सुरील वमणराव पारख

रग्नालयाचे नांव सहस्य हेल्थ केअर प्रां. लि. चे आरोग्य मेडिकल डेव्हिड

पत्ता प्लॉट नं. ३ वडाकारोड इंदिरानगर नाशिक

सेसिल नर्सिंग होम / हॉस्पिटल / मॅटर्निटी होम वी नवीन नोंदणी झालेली आहे / नोंदणीचे नुतणीकरण झालेले आहे.

For Delivery: प्रसूतिसंसादी :

For Other Patients इतर रुग्णांसंसादी :

Total Beds एकूण खाटा :

Certificate Valid from: सर्टिफिकेट वैधता दि.:

पासून

Valid Till दि.  पर्यंत राहिल

\* नोंदणीक कर्ता यांना व आरोग्य विभागाक दाखलना नुतणीकरण न केल्यास रद्द वी प्रमाणपत्र रद्द समजावण्यात येईल.



[Signature]  
०९.०६.२४

आरोग्य वैद्यकीय अधिकारी  
नाशिक महानगरपालिका नाशिक

B. G. Prasad  
Principal  
Keshi Care College of Physiotherapy  
Nashik

Scanned with OKEN Scanner



सत्यमेव जयते

महाराष्ट्र दुकाने व आस्थापना (लोकरीचे व सेवाशर्तीचे विनियमन) अधिनियम, २०१७

नमुना "ब"  
(नियम ५ परा)  
नोंदणी प्रमाणपत्र



२४२०६००३१९००९८९८

१. नोंदणी क्रमांक	: २४२०६००३१९००९८९८
२. आस्थापनेचे नाव	: सहाय्यदया हेल्थ केअर प्रायव्हेट लिमिटेड अशोका मेडिकल हॉस्पिटल्स
३. सदरचे नोंदणी प्रमाणपत्र अर्जाद्वारे ऑनलाईनद्वारे अर्जासोबत सादर केलेल्या (अपलोक) स्वयं-प्रमाणित दस्तऐवजाच्या प्रती व स्वयं-घोषणापत्राच्या आधारे आणि अर्जातून सविस्तर नमूद केलेल्या माहितीची आणि आस्थापनेच्या व्यवस्थापकी व आस्थापनेच्या जागेची प्रत्यक्ष पडताळणी न करता देण्यात आले आहे. सदरचे प्रमाणपत्र हे केवळ नोंदणी प्रमाणपत्र आहे व सदर नोंदणी प्रमाणपत्र कोणत्याही प्रकारे मालमत्ता हक्क किंवा मालमत्तेचा मालकी हक्क धारण करण्याचा अधिकार देत नाही.	
४. व्यवसाय सुरु करण्याचा आल्याचा दिनांक	: १४-०६-२०१८
५. नोंदणी प्रमाणपत्राचा कालावधी	: कायमस्वरूपी
६. मालकाचे नाव	: अनिल कृष्ण गुंडल
७. व्यवसायाचे स्वरूप	: हॉस्पिटल / HOSPITAL
८. आस्थापनेचा पत्ता	: स.नं. १११/२ ए, प्लॉट नं.०२, वॅस्कोन आयटी पार्क, वडाळा, नाशिक, , नाशिक, नाशिक, ४२२००९

९. मनुष्यबळ / कामगारांचा तपशील

	पुरुष	स्त्री	इतर	एकूण
कामगारांची संख्या	३००	३००	०	६००
शिकारू उमेदवार अधिनियम, १९६१ (१९६१ चा ५२) अन्वये शिकारू उमेदवारांची संख्या	०	०	०	०
कंत्राटी कामगारांची संख्या	०	०	०	०
अंशकालिक कामगारांची संख्या	०	०	०	०
एकूण	३००	३००	०	६००

याद्वारे प्रमाणित करण्यात येतो की, उक्त आस्थापना महाराष्ट्र दुकाने व आस्थापना (लोकरीचे व सेवाशर्तीचे विनियमन) अधिनियम, २०१७ (महाराष्ट्र २०१७ चा ६१) अन्वये आज दिनांक ०९/०७/२०२४ रोजी आस्थापना मजगून नोंदविण्यात आलेली आहे.

दिनांक : ०९/०७/२०२४

ठिकाण : Nashik

Signature valid

Digitally Signed by  
Suresh Chidhu Lohar  
Date: 2024-07-09

सहाय्यदया हेल्थ केअर प्रायव्हेट लिमिटेडचे मान्य व स्वाक्षरी

कार्यालयाचा पत्ता : Office of the Deputy Commissioner of Labour, Nashik Address - Udyog Bhavan, 5th Floor, Near ITI Signal, Satpur, Nashik - 422009

सदर प्रमाणपत्राची वैधता कायमस्वरूपी असल्यामुळे नूतनीकरणाची आवश्यकता नाही.

अर्जाचा आय.डी. क्रमांक	प्रदान केलेले सेवा मूल्य (रुपये)				
१०६६०५३२२४०३	२३.६०				
अनुक्रमांक	संचालकाची नावे	संचालकाचा पत्ता	आधार क्रमांक	प्रमाणपत्राची क्रमांक	ई-मेल
१	अनिल कृष्ण गुंडल	हैद्राबाद	९०२३५००५१००८	९९७५९४५४५५	centrehead.zmc@medicoverhospitals.in
२	अनम शरत	हैद्राबाद	४५४०२०५०२९९२	८६६९९२५५३२	centrehead.zmc@medicoverhospitals.in
३	परमकुमार हरिकृष्ण	हैद्राबाद	४४४५५८५८२५४९	८६६९९२५५३२	centrehead.zmc@medicoverhospitals.in

For Verification or to check the authenticity of the Certificate/Receipt visit to <https://asplesarkar.mahaonline.gov.in>  
प्रमाणपत्र किंवा पायतीची सत्यतेची/ पडताळणी करण्यासाठी <https://asplesarkar.mahaonline.gov.in> येथे भेट द्या.

बालकामचार कामावर ठेवणे मुद्दा आहे

B. Ganeshkumar  
Sai Care College of Physiotherapy,  
Nashik

Page 1 of 1

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

RED/M.S.I

No:- Format1.0/CAC/UAN No.0000106774/CR - 2106000693

Date: 15/06/2021

To,  
Sahrudaya Healthcare Pvt. Ltd.  
Ashoka Medicovert Hospitals, Plot no.02,  
Near IT Park, Indira Nagar, Wadala Road,  
Nashik-422009



Your Service is Our Duty

**Sub: Renewal of Combined Consent and BMW Authorization.**

- Ref:**
1. Combine Consent and Bio-Medical Authorization granted by the Board vide no. BO/CAC- Cell/CCA/UAN-60156/CAC-1903000666 dated 13.03.2019 valid up to 31.03.2021..
  2. Your application for Combine Consent and Bio-Medical Authorization dated 19.01.2021.
  3. The minutes of Consent Appraisal Committee meeting dated 12 & 15.04.2021

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Combined Consent to Renewal and BMW authorization is granted upto: 31.03.2026
2. The capital investment of the project is Rs.15.7 Crs. (As per C.A Certificate submitted by Industry Existing-Rs. 13.52 Crs + Increase in C.I. - Rs.2.18 Crs).
3. The Consent is valid for the Activity of

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	225	Nos
b)	Total Plot Area	30633.00	Sq.Mtrs
c)	Total Built up Area	18832.00	Sq.Mtrs

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (In CMD)	Standards to Achelve	Disposal
1.	Trade effluent	12	As per Schedule -I	Treated effluent recycle maximum and remaining used on land for gardening/ sewerage system of local body.
2.	Domestic effluent	120	As per Schedule - I	As above

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set - 4000 KVA	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		0	0	--NA--	NA	-----

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wet Waste	35	Kg/Day	Composting	Used as a manure
2	Dry Waste	15	Kg/Day	Recycle/ Composting	Sale to authorized party / manure
3	STP sludge	10	Kg/Day	Composting	Used as a manure

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	150.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Soiled Waste	190.00		
		c) Expired or Discarded Medicines	10.00		
		d) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	90.00		
		e) Microbiology Biotechnology and other clinical laboratory waste	90.00		
2	Red	Contaminated waste (Recyclable)	140.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	40.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization
1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
  2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
  3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
  4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
  5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
  6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
  - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
  - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
  - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website [www.cpcb.nic.in](http://www.cpcb.nic.in) dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
  - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
  - f. You shall establish Bar code system within one year.
  - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
  - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
  - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
  - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.

k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the  
Maharashtra Pollution Control  
Board.

  
(Ashok Shingare IAS),  
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	TXN2101001857	20/01/2021	Online Payment
2	15000.00	TXN2102000421	03/02/2021	Online Payment
3	120000.00	TXN2105001311	18/05/2021	Online Payment
4	30000.00	TXN2101002094	21/01/2021	Online Payment

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



411

y Office  
.T.O

- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the  
Maharashtra Pollution Control  
Board.

  
(Ashok Shingare IAS),  
Member Secretary

**Received Consent fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	TXN2101001857	20/01/2021	Online Payment
2	15000.00	TXN2102000421	03/02/2021	Online Payment
3	120000.00	TXN2105001311	18/05/2021	Online Payment
4	30000.00	TXN2101002094	21/01/2021	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

### SCHEDULE-I

#### Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 12.00 CMD consisting of Primary (Collection tank, Neutralization tank) .  
B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C )	30 mg/l
(4)	Total Suspended Solids	100 mg/l
(5)	COD	250 mg/l

- C) The treated effluent from ETP, further treated in to STP and then treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, effluent shall find its way outside hospital premises.
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 300 CMD for the treatment of 120 CMD of sewage.  
B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD (3 days 27oC )	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Total Suspended solids	Not to exceed	50 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
  4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	150.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	12.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

#### SCHEDULE-II

##### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S% SO <sub>2</sub>
S-1	DG Set (4000 KVA)	Acoustic enclosure and stack	4.5	HSD	16 Kg/Hr	1.00 7.68

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

**SCHEDULE-III**  
**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
						NA

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.  
# Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timelne(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25,000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000

### BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

### BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				

### SCHEDULE-IV

#### General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.

10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

For and on behalf of the  
Maharashtra Pollution Control Board.

  
(Ashok Shingare IAS),  
Member Secretary



महाराष्ट्र MAHARASHTRA

© 2025 ©

76AB 426411




MEMORANDUM OF UNDERSTANDING (MOU)

PARTY NO.1  
SIYOG HOSPITAL,  
SAMITI SANKUL KRUSHI UTPANNA BAZAR  
DINDORI ROAD PANCHAVATI  
NASHIK

AND

PARTY NO.2  
SHIVANJALI SHAIKSHANIK VA SAMAJIK SANSTHA'S  
SAL CARE COLLEGE OF PHYSIOTHERAPY,  
NASHIK



Party No. 1 is a Registered 75 bedded Hospital, having facility of for O.P.D, I.P.D, is Located at Samiti Sankul Krushi Utpanna Bazar Dindori Road Panchavati, Nashik, Maharashtra with Facilities like Trauma Care Unit, Intensive Care Units, Major and Minor Operation Theatre, Ortho Wards, Neuro Wards, Obstetrics and Gynecology Ward, Pediatrics, general ward and Private Room



Party No.2 is Shivanjali Shaik Shantik Va Samajik Sanstha Sal Care College of Physiotherapy Nashik, Survey no 134 Village Manori Taluka Dindori Nashik - 422004  
 Run by Charitable Trust - Shivanjali Shaik Shantik Va Samajik Sanstha, Nashik  
 Reg. No. F-10901/Nashik  
 Head Office: 2nd Floor, Wal Zade Arcade, Om Nagar, New Adgaon Naka, Panchavati, Nashik, Maharashtra



*Anil V. Jadhav*  
 Anil V. JADHAV  
 Notary, Govt of India

जी.ड.पत्र - ३

दस्तावेज क्रमांक/संख्या/दिनांक :

Ch. १

दस्तावेज क्रमांक/संख्या/दिनांक : १

पेशी होमो असाधारण दुय्यम विभागात कार्यरत आहे.

President

शिवाजी साहू

Shivanjali Shaikshanik va Samajik Sanstha, Nashik

श्री. साहू

मुद्रांक दिवाळी वेळी आहे

दुय्यम पेशी आहे

होमो असाधारण दुय्यम व पेशी

मुद्रांक शुद्ध आहे

मुद्रांक दिवाळी नोट वही मध्ये आहे

वे.सा. ३७

सहसा. A

मुद्रांक दिवाळी वेळी आहे

दि. २६ फेब्रुवारी २०२०

२६ फेब्रुवारी २०२०

२६ फेब्रुवारी २०२०

26 FEB 2020

Herewith Signing Memorandum of Undertaking (MOU) That Party No.2 Is in Affiliation/ Attachment for the exposure of the student of Physiotherapy in Clinical fields and to understand as well as the management of Critical Illness of modern medicine and Party No 1 is running a hospital with the required facility such as Operation Theatre, Intensive Care Unit and other required facilities for Management of Critical illness.

Both The Parties Agree on The Following Circumstances.

1. Party No.2 Sending Their Student of Physiotherapy Course for Training of Specialty Services at Party No 1 for Clinical Exposure.
2. Student Of the Party No.2 shall Abide All Rules and Regulation of Party No.1
3. Clinical Supervision, Training, Academic Education of The Trainee Students Is Solely the Responsibility of Teachers of Party No 2.
4. This Agreement Between Both the Parties Is Solely for The Purpose of Clinical Training and Exposure of the Student of Party No.2 And Not for Commercial Purpose.
5. Party No.1 Will Not Have Any Legal Binding, Legal Responsibility of Admission, Training, Tuition Fees & Education of Student of Party No.02.
6. At the time of university inspection, the hospital shall present Physiotherapy Department patient records (OPD/IPD and case registers) as evidence of clinical material available for student training. This agreement will be valid only for 5 years.

Witness:

*[Signature]*

MEDICAL OFFICER  
SUYOG HOSPITAL  
NASHIK

*[Signature]*

PRESIDENT  
DR. BHAGIRATH JADHAV



BEFORE ME

*[Signature]*  
ANIL V. JADHAV  
Advocate & Notary Govt. of India  
NASHIK - 422 007



# Suyog Hospital

Date: 05/03/2026

Date - 05/03/2026

To,

The Principal,

Shivanjali Shaikshanik Va samajik sanstha's,

Sai Care College of Physiotherapy , Nashik.

**Subject: - : Regarding availing hospital for clinical field experience.**

Respected Sir/Madam,

Here with the above-mentioned subject our Suyog hospital Krushi Utpanna Bazar Samiti Sankul Dindori Road, Panchavati Nashik, having well equipped with Facilities like Trauma Care Unit, Intensive Care Units, Major and Minor Operation Theatre, Ortho Wards, Neuro Wards, Obstetrics and Gynecology Ward, Pediatrics, general ward and Private Room. We are having adequate & well-trained qualified staff in each section to teach and train students. We are having 75 beds capacity in IPD.

We give willful consent to provide our hospital for clinical experience to Shivanjali Shaikshanik Va Samajik Sanstha's Sai Care College of Physiotherapy students only if hospital norms and policies are followed to avail the clinical facilities for Physiotherapy students .

Yours Sincerely,





सार्वजनिक आरोग्य विभाग  
नाशिक महानगर पालिका नाशिक



फॉर्म 'सी' (FORM-C) Regn. No. : 1311

दि बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्ट 1949 व अधिसूचना 2006, 2013, 2021

Hospital Name: SUYOG HOSPITAL

रुग्णालयाचे नाव : सुयोग हॉस्पिटल

रुग्णालय मालकाचे नाव : केलाश जगदीश राठी

पत्ता : 2रा मजला, बी विंग, कृषी उत्पन्न बाजार समिती संकुल, दिंडोरी रोड,  
पंचवटी, नाशिक 03

येथील हॉस्पिटल ची नोंदणी झालेली आहे.

Total Beds: 75  
एकूण खाटा :

Certificate Valid form:  
सर्टिफिकेट वैधतेता दि. :

01-04-2024

एक एप्रिल दोन हजार चौवीस

पासून

Valid Till दि.

31-03-2027

एकतीस मार्च दोन हजार सत्तावीस

पर्यंत राहिल

# वैदिक कथना भरणा व आगप्रतिबंधक दाखला नूतनीकरण  
न केल्यास सदरचे प्रमाणपत्र रद्द समजण्यास येईल.



*MM Kohar*

आरोग्य वैद्यकीय अधिकारी  
नाशिक महानगर पालिका नाशिक

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [ps@mpcb.gov.in](mailto:ps@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

ORANGE/S.S.I

Date: 17/09/2025

No:- Format1.0/PSO/UAN No.0000257172/CO/2509001805

To,  
M/s.Suyog Hospital  
2nd Floor,Krushu Utpanna Bazar Samiti sankul,  
Dindori Road-422003  
Email:[drkrathi@gmail.com](mailto:drkrathi@gmail.com)  
Contact No.:9422254748



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000257172& BMW Auth No.
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 11/08/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Ma under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for period from 31.7.2025 to 31.7.2029
2. HCF Area : - Plot Area 2800.00 M<sup>2</sup> with Built-up area 764.31 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **75 Nos.** (As per BNH certificate no. 1311 valid upto 31-03-2026)
    - i. General Beds : **75 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 34 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
5. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	1	Kg/Day	Gardening & Manure

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Water Grace Products, Nashik** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*[Handwritten Signature]*

9576c34f  
e8700297  
4c7a681b  
419d1a34  
b0d27902  
b8b7fc66  
9e5e0d23  
bdf1c437

Signed by: Dr. Vishwajeet Ramesh Thakur  
Principal Scientific Officer  
For and on behalf of,  
Maharashtra Pollution Control Board  
psob@mpcb.gov.in  
2025-09-17 18:30:13 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2508002054	11/08/2025	Online Payment

**Additional fees of Rs. 45000/- Will be with MPC Board and same will be use at the time of next Renewal of CCA**

**Copy to:**

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik
  - Regional Officer, MPCB, Nashik is directed to ensure submission of Bang Guarantee by Hospital as specified in Schedule-III of CCA and monitor the compliance of consent conditions
  - Sub-Regional Officer, MPCB, Nashik is directed to ensure the compliance of consent conditions
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.
4. Regional Officer, MPCB-Nashik- for information, please.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)****A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	24.00
3.	Pathology Laboratory, Floor washing, Operation Theater	8.00
4.	Laundry	5.00
5.	Other such as agriculture, gardening, etc.	2.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	15.0	As per clause 'C'	100% Recycle
2	Trade effluent	4	As per clause 'C'	100% Recycle

**C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.**

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerators) and D.G. Sets) under Air (P & C) Act, 1981 and Bio Medical waste Management Rule, 2016. (Refer Condition No.6)**

1. You shall adhere following best practices and emit following data (A).

Sl. No.	Steel Attached To	Fuel Type	Quantity	Steel Weight (MT)
1	0	00	-	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/rehabilitation well before its due date in an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary at or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standard, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned as between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted by Generation and Management of Bio-Medical Waste (GMBW) in waste management and treatment level here in below.

Sl. No	Category	Type of Waste	Quantity and Storage Requirement	Management/Control Method	Management Location
1	Solid	a. Sharp Anatomical waste	50.00	Yellow colored non-sterilized plastic bags	Bio-medical Waste shall be sent to MPCA authorized BMM/CTE under GMBW Products, Napa's Napa.
		b. Amalgam Anatomical Waste	5.00		
		c. Soiled Waste	100.00		
		d. Exposed or Dissolved Medicines	5.00		
		e. Chemical Waste	2.00		
		f. Chemical liquid Waste	5.00	Separate collection system leading to effluent treatment system	
		g. Discarded linen, mattresses, bedding, contaminated and blood or body fluid	15.00	Yellow colored non-sterilized plastic bags or suitable plastic material	
	h. Microbiology, histopathology and other clinical laboratory waste	5.00	Autoclave into plastic bags or containers	Be sent to transfer with incineration/chemicals or into all type National ACS, Central Organization or Waste-Health Organization, industries, transfer sent to BMM/CTE by permission.	
2	Gas	Compressed gases (See Permits)	120.00	Red colored non-sterilized plastic bags or containers	Bio-medical Waste shall be sent to MPCA authorized BMM/CTE under GMBW Products, Napa's Napa.
3	Other (Pharmaceuticals including Metals)	Other groups including Metals	4.00	Plastic bags, leak proof, tamper proof container	Bio-medical Waste shall be sent to MPCA authorized BMM/CTE under GMBW Products, Napa's Napa.
4	Sharps	a. Syringes b) Metallic body instruments.	8.00 1.50	Plastic bags leak proof with blue colored marking	Bio-medical Waste shall be sent to MPCA authorized BMM/CTE under GMBW Products, Napa's Napa.

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB authorized Common Bio medical waste treatment and Disposal facility **Water Grace Products, Nashik** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc. Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including the CCA and other permission and report.
16. You shall maintain all records for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including Category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.ni/>).

SCHEDULE-III

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A Operation and Maintenance</b>			
1	To Segregate and Handle BMW as per Schedule I	Continuous	75,000.00
2	Towards Operation and Maintenance of STREET to achieve prescribed discharge standards	Continuous	50,000.00
<b>Total</b>			<b>1,25,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of Issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BOM/PCB/AS/IT/Circular/B-240229FTS0122**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Marik.
6. You shall engage qualified staff/consultancy to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipe/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated, 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCL.
15. You shall observe provisions of E-waste (Management) Rules 2016 & its amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/handler generate the cytotoxic waste you shall strictly adhere to the standards/ SOPS applicable and waste shall be labelled specifically as 'Cytotoxic Waste' with symbol on waste containers/bags and shall handover to BMM CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant.
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



भारत MAHARASHTRA

© 2025 ©

76AB 426403

**MEMORANDUM OF UNDERSTANDING (MOU)**

**PARTY NO.1**  
**APOLLO HOSPITAL,**  
**SAMARU BHAYAN NAGAR, PANCHAYATI**  
**NASHIK.**

**AND**  
**PARTY NO.2**  
**SHIV ANJALI SHAKSHANIK VA SAMAJIK SANTHAN'S**  
**SALCARE COLLEGE OF PHYSIOTHERAPY,**  
**NASHIK.**

Party No.1 is a Registered 200 bedded Hospital having facility of for G.P.D, L.P.D. is located at  
Majum Naka, Panchayati, Nashik.

Majority with Facilities like Trauma Care Unit, Intensive Care Unit, Major and Minor Operation  
Theatre, Ortho Ward, Nursing Ward, Obstetrics and Gynecology Ward, Pediatric's, general ward  
and Private Room.

Party No.2 is Shreegadh Shank Shantik Va Samajik Santanik Sal Care College of Physiotherapy Nashik,  
Survey no 124 Village Manori Taluka Dindori Nashik - 422904  
Run by Charitable Trust - Shreegadh Shank Shantik Va Samajik Santanik, Nashik  
Reg. No. F-1990/Nashik  
Head Office: 2nd Floor, Wal Zade Arcade, Old Nagar, New Majum Naka,  
Panchayati, Nashik, Maharashtra



NOTARY
NOTED & REGISTERED
at serial no. 2371026
DATE: 23/07/2025
This Document Contains
Total 01 Rights



**ANIL V. JADHAV**  
Notary Public & Notary Agent of India





To,  
The Principal,  
Shivrajaji Shaikshank Va Samajik Sanstha's,  
Sai Care College of Physiotherapy,  
Nashik.

Subject: -Regarding availing of Hospital for clinical field experience  
to Physiotherapy students.

Respected sir/ madam,

Here with the above mentioned subject, our **APOLLO HOSPITAL, NASHIK** is an advanced centre for Gastroenterology, we are having well equipped ICU we are also having well equipped Endoscopy suit, major & minor Operation Theater, Pathology department, Radiology department, deluxe rooms, semi private rooms, general ward etc as per requirement of modern hospital.

We conducts Laparoscopic, Bariatric & Metabolic Surgery, Oncology, Therapeutic Endoscopy, joint replacement surgery, sonography, Family planning operations, we are having adequate well trained staff in each section and qualified doctors for each section, we are having about 100 to 125 patients for O.P.D. every day and having 100 beds for I.P.D.

We give willing consent to provide our hospital for training and clinical field experience to Shivrajaji Shaikshank Va Samajik Sanstha's Sai Care College of Physiotherapy BPTN students.

Yours Sincerely,

Rishikesh C. Jadhav  
Manager – Human Resource  
Apollo Hospitals, Nashik



**APOLLO HOSPITALS ENTERPRISE LIMITED**

Regional Office : Apollo Hospital, Enterprise Limited,  
No. 19, Bishop Gardens, Raju Annamalaiquran,  
Chennai - 600 026.  
CIN : LBS110T0119194-C000035

Regional Office : No. 287, Saranvaran Nagar,  
CB Marolli Nagar Highway, Panchvati, Nashik - 422 003.  
Phone : 01 - 203 - 2016200 / 350 / 450 / 550 / 750  
Email : apollo.nashik@apollohospitals.com  
Web : www.apollohospitals.com



# नाशिक महानगरपालिका नाशिक

## फॉर्म 'सी'

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन  
अॅक्टच्या कानम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट

दि २९वे नॉर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये भी. / इंग्रिजी नॉर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये  
होमोपॅथी नॉर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट

प्राचीन रुग्णालय / हॉस्पिटल / मॅटर्निटी हॉस्पिटल रजिस्टर केले असून सदरचे नॉर्सिंग होम/हॉस्पिटल/मॅटर्निटी होम जनरलप्रायस उण्यास  
सुपवाचन वग आदी.

रजिस्ट्रेशन क्र : १६१३

हॉस्पिटलसाठी

कॉटम्

प्रसूतीसाठी

११

कॉटम्

रजिस्ट्रेशन दि : १२/०२/२०२२

इतर कारणासाठी

११०

कॉटम्

भ्रतसवधयना

११०

कॉटम्

ठिकाण : नाशिक,

सर्टिफिकेट दिव्याचा दिनांक

सदरचे सर्टिफिकेट चा कालावधी दिनांक ३१ मार्च २०२७ पर्यंत राहिल.

उपरोक्त कालावधीत वेळोवेळी H.M.W. चे पुनर्नियमन व  
अभिप्रेतिकांकने बी पॉईंट सहाय्य व वेळोवेळी  
उपरोक्त १६ संज्ञावधयने घेणे.



उपरोक्त सचिक्त्व अधिकाारी

दि. १२/०२/२०२२

**B. Ghanshyam**  
Principal  
Sri Care College of Physiotherapy  
Nashik